CARBOHYDRATE RESEARCH, VOL. 189 (1989)

AUTHOR INDEX

ABBAS, S. A., 13, 21
ABDEL-MALIK, M. M., 123
ACHIWA, K., c 1
AKAMATSU, S., c 1
ALBANO, R. M., 374

BAI, Y., 49
BAROFSKY, D. F., 103
BAUMES, R. L., 331
BAYONOVE, C. L., 331
BERTOFT, E., 169, 181, 195
BEURRET, M., 237, 247
BILIADERIS, C. G., 31
BRISSON, J.-R., 161
BRZEZINSKI, R., 363

CABARET, D., 341
CHEW, W., 135
CORDONNIER, R. E., 331
CYONG, J.-C., 209

DUTTON, G. G. S., 237, 247

EL KHADEM, H. S., 149

DI FABIO, J. L., 161

GALLOWAY, G., 31
GLUSHKA, J. N., 135
GOLDSTEIN, I. J., 301
GÓMEZ-GUILLÉN, M., 349
GREBER, U. F., 289
GÜNATA, Y. Z., 331

HANS-HANS, F., 349
HARA, C., 273
HEITZ, A., 331
HELM, R. F., 103
HIZUKURI, S., 227
HRICOVÍNI, M., 359

IKEDA, K., c1

JOSELEAU, J.-P., 237, 247
JULIANO, B. O., 227

KARCHESY, J. J., 103
KAWAI, J., 149
KAWANA, M., 87
KIHO, T., 273
KIYOHARA, H., 209
KLASKA, K.-H., 65
KLEEBERG, M., 65
KOMALAVILAS, P., 261
KOZULIĆ, B., 289
KUZUHARA, H., 87

LASSALETTA SIMON, J. M., 349
DE LEDERKREMER, R. M., 79
LIU, H.-W., 368
LO, S. F., 368

MANNING, J. M., 49
MARTÍN-ZAMORA, M. E., 349
MARUTA, N., 227
MATTA, K. L., 13, 21
MORI, N., 49
MORT, A. J., 261
DU MORTIER, C., 79
MOSBACH, K., 289
MOURÃO, P. A., 374

NAGAI, K., 273
NEUGEBAUER, E., 363
NEUGEBAUER, W. A., 363

OGAWA, S., 309, 323
ORIHARA, M., 323
OTSUKA, Y., 209

PAVÃO, M. S. G., 374
PERLIN, A. S., 123, 135
PERRY,. M. B., 161
PETERSON, L. H., 113
PETRÁKOVÁ, E., 359
PISKORZ, C. F., 13
PLESSAS, N., 301

RA, K.-S., 209
REJ, R. N., 135
RUTAN, J. F., 21

SAVAGE, A. V., 237, 247
SHIBATA, S., 301
SHIBATA, Y., 309
SPOOF, L., 169
STACK, R. J., 281
SWARTZ, D. L., 149

TAKEDA, Y., 227
THIEM, J., 65
THOMAS, R. L., 13, 21
TOLMAN, R. L., 113
TVAROŠKA, I., 359

UENO, H., 49
UKAI, S., 273

VARELA, O., 79
VIGNON, M., 247

WAKSELMAN, M., 341
WANG, W. T., 1
WYLDE, R., 331

YAMADA, H., 209
YANG, D.-Y., 368
YOSHIDA, I., 273
YU, Y., 368

ZOPF, D., 1

CARBOHYDRATE RESEARCH, VOL. 189 (1989)

SUBJECT INDEX

Acarbose and adiposin-2, total synthesis of, 309
Acetylation at O-3 of galacturonic acid in the rhamnose-rich portion of pectins, 261
N-Acetyl-β-D-glucosaminidase H, endo-, purification by substrate-affinity chromatography of, 289
Adenosines. Preparative applications of the deoxygenative [1,2]-hydride shift and β-elimination reactions of *O*-sulfonylated adenosines, synthesis of 2′- and 3′-azido-2′,3′-dideoxy, 87
Aldohexopyranose derivatives, reactions of phenyl chlorosulfate at OH-1, -4, and -6 of, and formation of 1,2-oxazoline and 4,6-cyclic sulfate rings, 123
D-Allonodithioate, ethyl 2,5-anhydro-6-*O*-benzoyl-, synthesis of nitrogen-bridged, purine-like *C*-nucleosides from, 149
Alpha-dextrins, partial characterisation of amylopectin, 181
Amphiphilic liposaccharides, synthesis of, 341
Amylopectin alpha-dextrins, fractional precipitation of, using methanol, 169
Amylopectin alpha-dextrins, partial characterisation of, 181
Amylopectin, investigation of the fine structure of, using alpha- and beta-amylase, 195
Amylose-V, crystallization behavior and structure–property relationships of, 31
Anti-complementary pectic polysaccharide from the roots of *Bupleurum falcatum* L., structural characterisation of an, 209
Antigenic O-chain of *Salmonella ohio* (O:6,7), structure of lipopolysaccharide of, 161
Antitumor activity, of *O*-(carboxymethyl)ated derivatives of (1→3)-α-D-glucan from an alkaline extract of *Agrocybe cylindracea*, 273
Attempt to derive a new Karplus-type equation of vicinal proton–carbon coupling constants for C-O-C-H segment of bonded atoms, 359

Bacteriophages ϕ41 and ϕ12, action on the capsular polysaccharides from *Klebsiella* K41 and K12, 237
Benzyl glycosides, separation by liquid chromatography of, 13

Carbohydrate–urea–phenol-based adhesives: transient formation of mono- and di-D-glucosylurea, 103
5,6-*O*-(1-Carboxyethylidene)-D-galactofuranose units in the capsular polysaccharide of *Klebsiella* K12, 247
Characterisation of amylopectin alpha-dextrins, partial, 181
Chitin–chitosan, the degree of *N*-acetylation of, determination of, with picric acid, 363
Chromatography, liquid, of milk-oligosaccharides, 1
Chromic acid oxidation in the synthesis of uronic acids. Use of the *O*-levulinoyl group to minimize acyl-migration, 135
Colorimetric method for the estimation of 2-deoxy-3-*C*-methyl-branched sugars, 368
Convenient, high-yield synthesis of L-oleandrose and L-oleandral, 113
Coupling constants for C-O-C-H segment of bonded atoms, an attempt to derive a new Karplus-type equation of vicinal proton–carbon, 359
Crystallization behavior of amylose-V complexes: structure–property relationships, 31
4,6-Cyclic sulfate rings, formation of, in reactions of phenyl chlorosulfate with aldohexopyranose derivatives, 123

Deoxygenative [1,2]-hydride shift and β-elimination reactions of *O*-sulfonylated adenosines, synthesis of 2′- and 3′-azido-2′,3′-dideoxyadenosines. Preparative applications of the, 87
6-Deoxy-D-talose, identification of, in an extracellular polysaccharide produced by *Butyrivibrio fibriosolvens* strain X6C61, 281
Determination of the degree of *N*-acetylation of chitin–chitosan with picric acid, 363
Dextrins, fractional precipitation of alpha-, using methanol, 169
1-*O*-(*E*-3,7-Dimethyl-2,6-octadienyloxycarbonyl)-β-rutinose hexaacetate, synthesis of, 331
Disaccharide derivatives having a furanose as the reducing unit, a new approach to the synthesis of, 79

Endo-*N*-acetyl-β-D-glucosaminidase H, purification by substrate-affinity chromatography of, 289

Fractional precipitation of amylopectin alpha-dextrins using methanol, 169

β-D-Fructopyranose, 5-*O*-α-D-glucopyranosyl-, synthesis and crystal structure of, 65
α-L-Fuc*p*-(1→3)-β-D-Glc*p*NAc-(1→6)-D-GalNAc, synthesis of, 21
Furanose as the reducing unit, a new approach to the synthesis of disaccharide derivatives having a, 79

L-Galactose in sulfated polysaccharides from tunicates, 374
Galacturonic acid, 3-*O*-acetyl-, in the rhamnose-rich portion of pectins, 261
β-D-Gal*p*-(1→3)-β-D-Glc*p*NAc-(1→6)-α-D-Gal*p*NAcOBzl, synthesis of, 21
1-*O*-Geranyloxycarbonyl-β-rutinose, 2,3,4,2′,3′,4′-hexa-*O*-acetyl-, synthesis of, 331
(1→3)-α-D-Glucan from an alkaline extract of *Agrocybe cylindracea*, and antitumour activity of its *O*-(carboxymethyl)ated derivatives, 273
β-D-Glucosaminidase H, *N*-acetyl-, endo-, purification by substrate-affinity chromatography of, 289
Glyceraldehyde, reactivity of model peptides with, 49

Identification of 6-deoxy-D-talose in an extracellular polysaccharide produced by *Butyrivibrio fibrisolvens* strain X6C61, 281
Investigation of the fine structure of amylopectin using alpha- and beta-amylase, 195

Karplus-type equation of vicinal proton–carbon coupling constants for C-O-C-H segment of bonded atoms, an attempt to derive a new, 359
Kdo-containing disaccharides using phenylselenyl triflate, a new and stereospecific approach to, C1
Klebsiella K12 polysaccharide, 5,6-*O*-(1-carboxyethylidene)-D-galactofuranose units in, 247
Klebsiella K41 and K12 polysaccharides, action of bacteriophages ϕ41 and ϕ12 on, 237

Leucrose, synthesis and crystal structure of 5-*O*-α-D-glucopyranosyl-β-D-fructopyranose, synthesis and crystal structure of, 65
O-Levulinoyl group to minimize acyl-migration, chromic acid oxidation in the synthesis of uronic acids. use of the, 135
Lipopolysaccharide antigenic O-chain of *Salmonella ohio* (O:6,7), structure of, 161
Liposaccharides, amphiphilic, synthesis of, 341
Liquid chromatography of benzyl and nitrophenyl glycosides, 13

Manninotrionate group, production and characterization of antisera raised to the, 301
D-Mannose and D-galactose methylhydrazones, new pentahydroxypentylpyrazoles from the reactions of nitroalkenes with, 349
Melibiose, 6′-*O*-octyl-, synthesis of, 341
Methylhydrazones, new pentahydroxypentylpyrazoles from the reactions of D-mannose and D-galactose, with nitroalkenes, 349
Milk oligosaccharides, liquid chromatography of, 1
Molecular structures of rice starch, 227
Mucin fragments, synthesis of, 21

New and stereospecific approach to Kdo-containing disaccharides using phenylselenyl triflate, a C1
New approach to the synthesis of disaccharide derivatives having a furanose as the reducing unit, 79
Nitrophenyl glycosides, separation by liquid chromatography of, 13
C-Nucleosides, nitrogen-bridged purine-like, synthesis of, from ethyl 2,5-anhydro-6-*O*-benzoyl-D-allonodithioate, 149

6-*O*-Octyl-α-D-galactopyranosyl-, synthesis of, 341
L-Oleandral, a convenient high-yield synthesis of, 113
L-Oleandrose, a convenient high-yield synthesis of, 113
Oligosaccharides of milk, liquid chromatography of, 1
1,2-Oxazoline rings, formation of, in reactions of phenyl chlorosulfate with aldohexopyranose derivatives, 123

Pectins, the rhamnose-rich portion of, the acetylation at O-3 of galacturonic acid in, 261
Penta-*N,O*-acetyl derivatives of some pseudo-3-amino-3-deoxy-DL-hexopyranoses and -DL-hexopyranosylamine derivatives, synthesis of the, 323
Pentahydroxypentylpyrazoles from the reactions of D-mannose and D-galactose methylhydrazones with nitroalkenes, 349
Peptides, model, reactivity with glyceraldehyde of, 49
Phenyl chlorosulfate, reactions of, at OH-1, -4, and -6 of aldohexopyranoses, and formation of 1,2-oxazoline and 4,6-cyclic sulfate rings, 123

Phenylselenyl triflate, a new and stereospecific approach to Kdo-containing disaccharides using, C1
Polysaccharide, an extracellular, produced by *Butyrivibrio fibrisolvens* strain X6C61, identification of 6-deoxy-D-talose in, 281
Polysaccharide, from the roots of *Bupleurum falcatum* L., structural characterization of an anti-complementary pectic, 209
Polysaccharide of *Klebsiella* K12, 5,6-*O*-(1-carboxyethylidene)-D-galactofuranose units in, 247
Polysaccharides from *Klebsiella* K41 and K12, action of bacteriophages ϕ41 and ϕ12 on, 237
Polysaccharides, sulfated, from tunicates, L-galactose in, 374
Production and characterization of antisera raised to the manninotrionate group [α-D-Gal*p*-(1→6)-α-D-Gal*p*-(1→6)-D-gluconate], 301
Pseudo-3-amino-3-deoxy-DL-hexopyranoses and -DL-hexopyranosylamine derivatives, synthesis of the penta-*N*,*O*-acetyl derivatives of some, 323

Reactions of phenyl chlorosulfate at OH-1, -4, and -6 of aldohexopyranose derivatives. Formation of 1,2-oxazoline and 4,6-cyclic sulfate rings, 123
Reactivity, sequence-dependent, of model peptides with glyceraldehyde, 49
Rice starch, molecular structures of, 227
β-Rutinose, 2,3,4,2′,3′,4′-hexa-*O*-acetyl-1-*O*-geranyloxycarbonyl-, synthesis of, 331

Salmonella ohio (O:6,7), structure of lipopolysaccharide antigenic O-chain of, 161
Starch, molecular structures of rice, 227
Structural characterisation of an anti-complementary pectic polysaccharide from the roots of *Bupleurum falcatum* L., 209
Structure of amylopectin, investigation of the fine, using alpha- and beta-amylase, 195
Sugars, 2-deoxy-3-*C*-methyl-branched, a colorimetric method for the estimation of, 368
Synthesis of acarbose and adiposin-2, total, 309
Synthesis of 2′- and 3′-azido-2′,3′-dideoxyadenosines. Preparative applications of the deoxygenative [1,2]-hydride shift and β-elimination reactions of *O*-sulfonylated adenosines, 87
Synthesis of nitrogen-bridged purine-like *C*-nucleosides from ethyl 2,5-anhydro-6-*O*-benzoyl-D-allonodithioate, 149
Synthesis of the penta-*N*,*O*-acetyl derivatives of some pseudo-3-amino-3-deoxy-DL-hexopyranoses and -DL-hexopyranosylamine derivatives, 323

Total synthesis of acarbose and adiposin-2, 309

Uronic acids. use of the *O*-levulinoyl group to minimize acyl-migration, chromic acid oxidation in the synthesis of, 135